

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification ⁷ : A23F 5/24, 5/48</p>	<p>A1</p>	<p>(11) International Publication Number: WO 00/69274 (43) International Publication Date: 23 November 2000 (23.11.00)</p>
<p>(21) International Application Number: PCT/EP00/04409 (22) International Filing Date: 11 May 2000 (11.05.00) (30) Priority Data: 60/134,640 18 May 1999 (18.05.99) US (71) Applicant: SOCIETE DES PRODUITS NESTLE S.A. [CH/CH]; P.O. Box 353, CH-1800 Vevey (CH). (72) Inventors: CHENG, Pu-Sheng; 6952 Literary Lane, Dublin, OH 43017 (US). ZHENG, Ying; 6102 Northcliff Road, Dublin, OH 43016 (US). LAROIA, Serena; 249 Old Spring Lane, Dublin, OH 43017 (US). HU, Wenjie; 732 Kenny Lane, Marysville, OH 43040 (US). RAHMANI, Rachid; 136 S Richardson Avenue, Columbus, OH 43204 (US). (74) Agent: ELLEBY, Gudrun; Société des Produits Nestlé S.A., P.O. Box 353, CH-1800 Vevey (CH).</p>		<p>(81) Designated States: AU, BR, CA, CN, HU, IN, JP, KR, MX, PL, RU, SG, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p>
<p>(54) Title: STABLE COFFEE CONCENTRATE SYSTEM (57) Abstract A beverage system for providing a coffee beverage. The beverage system contains a coffee base concentrate and coffee aroma. The coffee base concentrate has a soluble coffee solids concentration of at least 10 % by weight and is free of coffee aroma. The coffee base concentrate and the coffee aroma are stored separately and are combined upon reconstitution for providing a coffee beverage. Separate store of the coffee base concentrate and the coffee aroma increases the stability of the system.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Larvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

STABLE COFFEE CONCENTRATE SYSTEM

Field of the Invention

5 This invention provides a beverage system containing a stable coffee concentrate and coffee aroma. The stable coffee concentrate and coffee aroma may be reconstituted to provide an aromatized coffee beverage. The invention also relates to a method for providing the beverage system.

Background to the Invention

10 Coffee products which are in a form convenient for the consumer, are commonly available as soluble beverage powders and ready-to-drink liquid beverages.

15 Coffee products in the form of soluble beverage powders may be of extremely high quality; to the point where they provide a beverage very similar to freshly brewed beverages. Despite this, they are still perceived as being inferior to freshly brewed coffee. Also, the fact that soluble beverage powders are in powder form creates problems in many food service applications where the product is dispensed from a machine. In particular, problems such as mechanical degradation of the powder, bridging, and blocking occur.

20 Ready-to-drink liquid coffee beverages are very popular in Asian markets. The beverages are made up of soluble coffee solids, stabilizers, water and, usually, sugar. For whitened beverages, a creamer or whitener may be included. Ordinarily, these beverages have a soluble coffee solids concentration of about 1% by weight. These beverages are very often consumed cold and, in general,
25 have organoleptic properties which are different than freshly brewed coffee. Therefore they do not, and in fact are not intended to, provide a substitute to freshly brewed coffee.

30 There have also been attempts to provide convenient coffee products in concentrate form. In theory, a coffee concentrate offers the advantages of being perceived to have better quality than soluble beverage powders, and being simple to apply in food service applications. Unfortunately, coffee concentrates are unstable and this has severely limited their application. One problem appears to be the increase of acidity over time which negatively influences the quality of the beverage reconstituted from the coffee concentrate. Also, curdling of whitener or
35 creamer components may occur.

Attempts have been made to avoid or reduce the acidity increase by adding base to the concentrate. For example, European patent application 0861595 describes treating a coffee concentrate with alkali to convert acid precursors to their acid salts, and then neutralizing the treated concentrate with acid to bring the pH to about 4.7 to 5.3. This process is described to convert the acid precursors to stable salts and hence prevent the formation of acid during storage.

Another possible method of avoiding or reducing the acidity increase in aromatized coffee concentrates is to increase concentration to above about 55%. This is described in European patent application 0893065.

These processes provide some improvement of the storage stability of the coffee concentrates. However, quality deterioration still occurs. Therefore there is still a need for a stable coffee concentrate.

Summary of the Invention

Accordingly, this invention provides a beverage system for providing a coffee beverage, the beverage system comprising:

a coffee base concentrate having a soluble coffee solids concentration of at least about 10% by weight and from which coffee aroma has been removed; and coffee aroma separate from the coffee base concentrate; the coffee base concentrate and coffee aroma being combinable upon reconstitution for providing a coffee beverage.

It has been surprisingly found that separation of the coffee base concentrate and coffee aroma significantly improves stability. The coffee base concentrate and coffee aroma may be each stored in a separate container or may be stored in separate compartments of a single container. The containers are preferably dispenser containers.

In another aspect, this invention provides a beverage system for providing a coffee beverage, the beverage system comprising a container including:

a first storage compartment containing a coffee base concentrate having a soluble coffee solids concentration of at least 10% by weight and from which coffee aroma has been removed, and

a second storage compartment containing coffee aroma.

Preferably, the soluble coffee solids concentration of the coffee base concentrate is at least about 50% by weight; for example about 50% to about 65% by weight.

In another aspect, this invention provides a method for improving the storage stability of a coffee concentrate, the method comprising separately storing a coffee base concentrate having a soluble coffee solids concentration of at least 10% by weight and from which coffee aroma has been removed; and coffee aroma.

Detailed Description of the Invention

Embodiments of the invention are now described by way of example only. This invention is based upon the finding that the separate storage of concentrated soluble coffee solids and coffee aroma significantly improves the stability of the concentrated soluble coffee solids. Therefore, by separately storing the coffee base concentrate and coffee aroma and recombining them upon reconstitution, a coffee beverage of good quality may be provided.

The coffee base concentrate may be obtained using any suitable procedure since the exact procedure used is not critical. Usually, the coffee base concentrate is prepared by concentrating a coffee extract obtained from a coffee extraction process to the desired coffee concentration. The coffee extract may be produced in the usual manner by subjecting roasted coffee beans to extraction. Any suitable extraction procedure may be used because the choice and design of the extraction procedure is a matter of preference and has no critical impact on the invention. Suitable extraction procedures are described in European patent applications 0826308 and 0916267; the disclosures of which are incorporated by reference. Similarly, any suitable concentration procedure may be used because the choice and design of the concentration procedure is a matter of preference and has no critical impact on the invention. Of course, the coffee base concentrate may also be prepared by dissolving soluble coffee powder in water to the desired concentration.

The concentration of the coffee base concentrate is at least about 10% by weight, preferably the concentration being high enough such that the concentrate will not support the growth of microorganism for example about 50% to about 65% by weight. The concentration may be more than 65% by weight but then dispensing becomes more difficult due to increasing viscosity.

The coffee base concentrate may be treated to account for or reduce the formation of acids during storage. To account for the formation of acids during storage, the pH of the coffee base concentrate may be raised about 0.5 to 1.0 unit

higher than original pH. The pH will still fall during storage but the coffee base concentrate will not become too acidic during acceptable shelf life times. The pH may be raised using any suitable procedure. For example, an alkali may be added to the coffee base concentrate to raise the pH. Suitable alkalis include sodium hydroxide, calcium hydroxide, potassium hydroxide and sodium bicarbonate. Alternatively, the pH may be raised using ion exchange process with an ion exchange resins. This offers the advantage that the no additives are added to the coffee base concentrate. It is preferred that the coffee base concentrate is obtained from extract subjected to ion exchange treatment to raise pH. If further desired, coffee base concentrate can be stored under frozen condition. This has the advantage that the stability of coffee base concentrate may be improved.

The formation of acids may be reduced or prevented by inducing hydrolysis of the acid precursors in the coffee base concentrate. This may be done by raising the pH to cause the acid precursors to form stable salts and then reducing the pH of the concentrate. This may be done by adding alkali as described in European patent application 0861596 or by using ion exchange. Usually the pH will be raised to above about 9. The pH may again be lowered to a normal coffee pH range using suitable acids or ion exchange. Alternatively, the acid precursors may be thermally hydrolysis or enzymatically hydrolyzed; for example by using an esterase.

The formation of acids may also be reduced or prevented by removing acid precursors from the coffee base concentrate using membrane fractionation process. It is preferred that the coffee base concentrate is obtained from extract subjected to membrane fractionation. Suitable membranes are commercially available.

It is also possible to add an alkali to the base coffee concentrate at the time of reconstitution of the beverage. This may be done by dispensing an alkali along with the base coffee concentrate.

The coffee base concentrate should be substantially free of coffee aroma. Merely processing the roasted coffee beans to a coffee base concentrate as described above will result in the loss of substantially all coffee aroma. However, it is preferred to specifically strip off and then collect the coffee aroma during processing. In this way, the coffee aroma is not lost. Processes for stripping off and collecting the coffee aroma are well known. Usually coffee aroma is stripped off at one or more stages; for example:-

- using an inert gas during, or immediately after, grinding of the coffee beans, and

- using steam to strip coffee aroma from the coffee extract during extraction.

5 Alternatively, the fresh coffee grounds may be slurried in water or coffee extract and the coffee aroma stripped from the slurry. A suitable procedure is described in International patent application PCT/EP99/00747; the disclosure of which is incorporated by reference.

10 The coffee aroma may be captured using any suitable procedure. Ordinarily, the coffee aroma is captured by condensing from the carrier gas it in one or more condensers. Preferably more than one condenser is used; each succeeding condenser being operated at a lower temperature than the previous condenser. If necessary or desired, one of the condensers may be a cryogenic
15 aroma condenser. A suitable cryogenic aroma condenser is described in US patent 5,182,926; the disclosure of which is incorporated by reference. The captured coffee aroma may, if desired, be concentrated using a suitable technique such as partial condensation or rectification.

 The captured coffee aroma may be combined with a suitable carrier substrate such as coffee oil or an emulsion containing coffee oil.

20 The processes for the production of the coffee extract and capture of the coffee aroma may be carried out under oxygen reduced or oxygen free conditions if desired. This may be accomplished as is known in the art; for example by carrying out the processes under a blanket of inert gas. Further, deoxygenated water may be used whenever water is necessary in the process.

25 The coffee aroma is preferably stored under oxygen reduced or oxygen free conditions. Similarly, the coffee base concentrate may stored under oxygen reduced or oxygen free conditions. Further, if desired, oxygen scavengers may be added to the coffee aroma and/or coffee base concentrate. Suitable oxygen scavengers are described in European patent application 99200185.9; the
30 disclosure of which is incorporated by reference. If further desired, coffee aroma can be stored under frozen condition. This has the advantage that the stability of the aroma may be improved.

 For food service applications, the coffee base concentrate and the coffee aroma may be separately stored in suitable dispenser containers. The containers
35 may be separate for the coffee base concentrate and the coffee aroma or a single container having separate storage chambers may be used. The containers are

suitably pouches made from barrier films which are able to keep water vapor, oxygen and light transmission to a minimum. Suitable barrier films are commercially available; for example polyester/aluminum/polyethylene barrier films.

5 For retail applications, the coffee base concentrate and the coffee aroma are preferably packaged in suitable containers which have separate storage chambers for the coffee base concentrate and the coffee aroma. Suitable containers include multi-compartment stick packs; sachets; carton-based, tetrahedron packs; Unifill
10 packs; squeezeable plastic bottles; stand up pouches; plastic cups; etc. The containers are preferably designed such that opening of the container opens both chambers such that both the coffee base concentrate and the coffee aroma are simultaneously available for reconstitution of the beverage.

Example 1

15 Roast and ground coffee is fed into a slurry tank along with a coffee extract containing about 8 to 10% by weight of soluble coffee solids. The resulting slurry is fed to the top of a disc and donut stripping column using a slurry pump. Steam at a low pressure of less than about 20 kPa (gauge) is fed into the bottom
20 of the stripping column. The stripping rate is 50% by weight of steam compared to roast and ground coffee.

The aromatized gas stream leaving the stripping column is subjected to concentration by rectification in a packed rectification column. The liquid
25 condensing in the rectification condenser is collected and comprises about 10% by weight of the roast and ground coffee. The coffee aroma is placed in glass vials and protected from oxygen.

The stripped slurry leaving the stripping column is then subjected to extraction in a continuous extraction system made up of three extraction reactors and two solubilization reactors. The system is as described in European patent
30 application 0826308. The extraction reactors are operated at 120°C, 110°C and 110°C respectively. The solubilization reactors are operated at 1.75 MPa for 5 minutes and 1.75 MPa for 8 minutes respectively. The water used in the extraction system is deoxygenated and an inert blank is used with the system to reduce oxygen ingress.

35 The extract obtained is called stripped extracted and is further concentrated using a evaporation system to provide a coffee base concentrate containing about

55% by weight of soluble coffee solids. About 0.75% to 1% of NaOH (by weight relative to coffee solids) is added to the coffee base concentrate. This amount of NaOH is sufficient to neutralize acid formation over a period of 6 months. The coffee base concentrate is then filled in glass vials and held under inert gas conditions.

Three sample groups are prepared for storage. For the control group, coffee base concentrate is combined with coffee aroma at a level of about 10% coffee aroma and frozen at -40°C. The coffee base concentrate and coffee aroma are protected from oxygen during the process. For group A, coffee base concentrate is combined with coffee aroma at a level of about 10% coffee aroma and filled into glass vials. The coffee base concentrate and coffee aroma are protected from oxygen during the process. For group 1, the coffee base concentrate and coffee aroma are separately stored in the glass vials. The vials of groups A and 1 are stored at 20°C under an inert gas for up to 6 months.

A coffee beverage is prepared from each sample group over the period of the storage trial and evaluated by a panel using the "Difference from Control" sensory evaluation method. When preparing beverages from sample group 1, about 10% by weight coffee aroma is added to the base coffee concentrate. Each of the storage samples is evaluated against to the frozen control. Each panelist gives a score between 1 and 10 to indicated the degree of difference. If the score is 9 and 10, this means that the panelist could not tell the storage sample as being different from frozen control. If the score is between 6 to 8, a difference from frozen control is detected but the difference is acceptable. If the score is below 6, the difference between the storage sample and the frozen control is not acceptable. If a score below 9 is given, each panelist is asked to describe the differences under the following attributes: cloudiness, coffeeness, roastyness, pruneiness/molasses, acidity, bitterness and body. Panelists are also free to use other attributes to describe the differences. At the end of evaluation, the panel give a consensus score for the samples being evaluated.

The beverages prepared from the samples of group 1 score a value of 6 to 8 during the trial. After six month storage, the differences are (1) less coffeeness, (2) less roastyness and (3) some development of green, woody characteristics. However, the differences are acceptable. The beverages prepared from the samples of group A score a value of less than 6 and are not acceptable.

Example 2

The process of example 1 is repeated except that, instead of adding NaOH to the coffee base concentrate, the stripped extract is subjected to membrane
5 fractionation process, specifically ultra-filtration, using a membrane with a 3.5K molecular cut off to have about 25% of coffee solids removed in the permeate. It is preferred to use the stripped extract to prevent loss of aroma during processing. And then the retentate is further evaporated to form coffee base concentrate. The coffee base concentrate and coffee aroma are separately stored in the glass vials.
10 The beverages prepared from the coffee base concentrate and coffee aroma score a value of 6 to 8 during the trial.

Example 3

15 The process of example 1 is repeated except that, instead of adding NaOH to the coffee base concentrate, the stripped extract is passed through an ion exchange column containing Dowex 22 resins to raise the pH equivalent of addition of 1% NaOH (by weight relative to coffee solid). It is preferred to use
20 stripped extract to minimize the damage of coffee aroma during processing. The treated stripped extract is further evaporated to form coffee base concentrate. The coffee base concentrate and coffee aroma are separately stored in the glass vials. The beverages prepared from the coffee base concentrate and coffee aroma score a value of 6 to 8 during the trial.

25 Example 4

The process of example 1 is repeated except that coffee aroma is stored under frozen condition

30 The beverages are prepared from the coffee base concentrate and the frozen stored coffee aroma score a value of 6 to 8 during the trial.

Example 5

35 The coffee base concentrate and the coffee aroma of group 1 are inoculated with a microbial cocktail containing 32 yeast, 22 mold and 15 lactic acid bacteria

strains. The samples are stored at 20°C. No growth is detected and all organisms die after two weeks or longer.

We claim

1. A beverage system for providing a coffee beverage, the beverage system comprising:

5 a coffee base concentrate having a soluble coffee solids concentration of at least 10% by weight and from which coffee aroma has been removed; and coffee aroma separate from the coffee base concentrate; the coffee base concentrate and coffee aroma being combinable upon reconstitution for providing a coffee beverage.

10 2. A beverage system according to claim 1 in which the coffee base concentrate has a soluble coffee solids concentration of about 50% to about 65% by weight.

15 3. A beverage system according to claims 1 or 2 in which the coffee base concentrate includes an alkali.

20 4. A beverage system according to any of claims 1 to 3, in which the coffee base concentrate subjected to ion exchange treatment to raise pH.

25 5. A beverage system according to any of claims 1 to 4, in which the coffee base concentrate subjected to membrane fractionation for removal of acid precursors.

30 6. A beverage system according to any of claims 1 to 5, in which the coffee aroma includes an oxygen scavenger.

35 7. A beverage system according to any of claims 1 to 6, in which the coffee aroma is stored under frozen condition.

8. A beverage system according to any of claims 1 to 7, in which the coffee base concentrate is stored under frozen condition.

9. A beverage system according to any of claims 1 to 8, in which the coffee base concentrate includes an oxygen scavenger.

10. A beverage system according to any of claims 1 to 9, in which the coffee base concentrate and coffee aroma are each stored in a separate dispenser container.
- 5 11. A beverage system according to claim 10 in which each container is a pouch comprising barrier films.
12. A beverage system for providing a coffee beverage, the beverage system comprising a container including:
- 10 a first storage compartment containing a coffee base concentrate having a soluble coffee solids concentration of at least 10% by weight and from which coffee aroma has been removed, and
- a second storage compartment containing coffee aroma.
- 15 13. A beverage system according to claim 12 in which the coffee base concentrate has a soluble coffee solids concentration of about 50% to about 65% by weight.
- 20 14. A beverage system according to claims 12 or 13, in which the coffee base concentrate includes an alkali.
15. A beverage system according to any of claims 12 to 14, in which the coffee base concentrate subjected to ion exchange treatment to raise pH.
- 25 16. A beverage system according to any of claims 12 to 15, in which the coffee base concentrate subjected to membrane fractionation for removal of acid precursors.
- 30 17. A beverage system according to any of claims 12 to 16, in which the coffee aroma includes an oxygen scavenger.
18. A beverage system according to any of claims 12 to 17, in which the coffee base concentrate includes an oxygen scavenger.
- 35 19. A beverage system according to any of claims 12 to 18, in which the container is a pouch comprising barrier films.

20. A method for improving the storage stability of a coffee concentrate, the method comprising separately storing a coffee base concentrate having a soluble coffee solids concentration of at least 10% by weight and from which coffee
5 aroma has been removed; and coffee aroma.

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/EP 00/04409

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A23F5/24 A23F5/48

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A23F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

WPI Data, PAJ, EPO-Internal, FSTA

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 087 469 A (ACREE TERRY E) 11 February 1992 (1992-02-11)	1, 10, 12, 20
Y	column 6, line 10 - line 22; examples 1-3	2-4, 6-9, 13-15, 17, 18
Y	EP 0 893 065 A (KRAFT FOODS INC) 27 January 1999 (1999-01-27) cited in the application claims 1-7; example	2, 8, 13
Y	EP 0 861 596 A (KRAFT FOODS INC) 2 September 1998 (1998-09-02) cited in the application claims 1, 19	3, 4, 14, 15
	-/--	



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

G document member of the same patent family

Date of the actual completion of the international search

23 October 2000

Date of mailing of the international search report

31/10/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Desmedt, G

INTERNATIONAL SEARCH REPORT

Inter national Application No

PCT/EP 00/04409

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 4 008 340 A (KUNG JO-FEN T ET AL) 15 February 1977 (1977-02-15) column 3, line 38 - line 47; claim 1 column 2, line 44 - line 49 ---	6,7,17
Y,P	EP 0 934 702 A (NESTLE SA) 11 August 1999 (1999-08-11) cited in the application claim 1 ---	9,18
Y	US 5 384 143 A (KOYAMA MASAHIRO ET AL) 24 January 1995 (1995-01-24) claim 1 ---	9,18
A	GB 2 057 849 A (NESTLE SA) 8 April 1981 (1981-04-08) the whole document -----	5,16

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 00/04409

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5087469	A	11-02-1992	NONE	
EP 0893065	A	27-01-1999	CA 2241489 A JP 11069943 A	25-01-1999 16-03-1999
EP 0861596	A	02-09-1998	US 6054162 A JP 10215771 A	25-04-2000 18-08-1998
US 4008340	A	15-02-1977	NONE	
EP 0934702	A	11-08-1999	US 6093436 A AU 1471599 A CN 1232622 A JP 11266842 A	25-07-2000 26-08-1999 27-10-1999 05-10-1999
US 5384143	A	24-01-1995	JP 3030633 A JP 7012281 B AT 106675 T AU 629366 B AU 5838390 A BR 9006831 A CA 2035040 A DE 69009702 D DE 69009702 T DK 431193 T EP 0431193 A ES 2055913 T WO 9100019 A	08-02-1991 15-02-1995 15-06-1994 01-10-1992 17-01-1991 06-08-1991 28-12-1990 14-07-1994 03-11-1994 04-07-1994 12-06-1991 01-09-1994 10-01-1991
GB 2057849	A	08-04-1981	CH 640704 A CA 1157310 A DE 3025095 A ES 494289 D ES 8103934 A FR 2462873 A JP 1045347 B JP 1559127 C JP 56029954 A	31-01-1984 22-11-1983 26-03-1981 16-04-1981 01-07-1981 20-02-1981 03-10-1989 16-05-1990 25-03-1981